



Agromet Advisory Service bulletin 10/16, Tuesday dt 01-03-16

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau.in

ERNAKULAM

CURRENT SYNOPTIC SITUATION: A trough of low pressure on mean sea level lies over Lakshadweep area.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST ISSUED ON: 01.03.2016 VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE : KERALA

PARAMETERS ENSEMBLE FCST					
PARAMETERS					
	DAY-1	DAY-2	DAY-3	DAY-4	DAY-5
	02/03	03/03	04/03	05/03	06/03
DISTRICT : ERNAKULAM					
Rainfall (mm)	1	1	1	0	0
Max Temperature (deg C)	34	34	34	34	34
Min Temperature (deg C)	26	26	26	26	26
Total cloud cover (octa)	4	5	5	4	4
Max Relative Humidity (%)	85	85	85	85	85
Min Relative Humidity (%)	65	65	65	65	65
Wind speed (kmph)	800	800	800	006	006
Wind direction (deg)	270	270	270	270	270

Agro Meteorological Advisories

Crop	Stage of the crop /	Advisories		
	Pest/Disease			
Rice	Leaf folder	Leaf folder attack can be controlled using trichogramma cards		
		(2CC per one acre). Cut the cards in to small pieces and fix in		
		different regions of the field. If the attack is severe, spray		
		Quinalphos @ 2ml per one liter of water.		
Coconut		Burying of fresh or dried coconut husk around the palm is a		
	Management	desirable practice particularly for moisture retention. Mulch the		
		coconut basins with green/dry leaves. This help to add organic		
		matter to the soil and to reduce the soil temperature. Drip		
		irrigation may be practicised in coconut plantations.		
Banana	Cigar end disease	Due to high temperature and low humidity, there is a chance of		
		Cigar end disease in banana bunches. Spray 3 g of Dithane M-		
		45 @ 1 liter of water. The banana plantation may be given		
		support so that the plantation can with stand high wind speed.		
Vegetables (Cowpea)	Aphids	There is a chance of increased sucking insects in vegetables.		
		Apply 2% neem oil-garlic-soap emulsion for control of aphids.		