





Gramin Krishi Mousam Sewa (GKMS), Thrissur

Agromet Advisory Bulletin for Ernakulam District

(Valid from 09.3.2022 to 13.3.2022)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 10/2022, (19) Tuesday dated 8.3.2022

A. Medium range weather forecast of IMD for next five days

Weather parameters	09.3.2022	10.3.2022	11.3.2022	12.3.2022	13.3.2022
Rainfall (mm)	0.4	0.1	0.1	0.4	0.1
Maximum temperature (°C)	32	32	32	32	32
Minimum temperature (°C)	25	25	25	25	25
Maximum Relative Humidity (%)	80	80	80	80	80
Minimum Relative Humidity (%)	55	55	55	55	55
Wind speed (kmph)	12	10	10	8	8
Wind direction (deg)	270	270	270	270	270
Total cloud cover (octa)	0.4	0.1	0.1	0.4	0.1

RAINFALL FORECAST FOR NEXT FIVE DAYS					
2022 March 09	2022 March 10	2022 March 11	2022 March 12	2022 March 13	
Very light rain					

Weather summary / Alert: Very light rainfall is expected in isolated places of the district. Below normal rainfall is expected in Kerala.

B. Agrometeorological Advisories for crop protection & management

Since there is a chance of dry weather condition due to strong wind and high evaporation, crops should be irrigated, when required. Since the wind speed may increase, give strong propping to banana and staking to vegetables.

Crop	Pest/ Disease	Crop/ Animal Advisories (RRS Vyttila)		
Rice – Panicle initiation stage	Bacterial Leaf blight		There is a chance of Bacterial Leaf Blight in rice, apply bleaching powder @ 200g per one acre in the irrigation water. As a prophylactic measure, spray a mixture of cow dung slurry (20g cow dung per one litre of water) and pseudomonas solution (20g per one litre of water). If the attack is severe spray 6 g of Streptocycline in 30 litre of water.	
Coconut & Arecanut	Irrigation		Since dry weather condition is prevailed, irrigate to Coconut and Arecanut. Give 40 to 50 liter water for a coconut palm and 25 liter water for an Arecanut plant. Since air temperature is increasing, it is a desirable practice to bury fresh or dried coconut husk around the coconut palm to conserve soil moisture. It is desirable to apply lime (white colour) on the stem near the ground to protect from heat.	
Vegetables	Sucking pests		Spraying of <i>Leccanicilium leccani</i> 20 g / L at weekly intervals to be done from the initial stage of infestation. Higher population of the pests can be suppressed by spraying Neem based insecticides or Dimethoate 30 EC (1.5 ml / L). This methoxam 20 WG (2g / 10 L). The spray fluid should be directed toward either side of leaves. In the case of mealy bugs, white flies etc., spraying of soap solution to be done before the application of chemicals to dissolve the waxy covering	
Fish farming		_	a source of income for unemployed women. The pond can be constructed using box, tarpaulin sheet, concrete tank etc.	