



Agromet Advisory Service bulletin 29/17, Tuesday dt 18.07.2017

(Issued jointly by IAAS Vellanikkara)





ERNAKULAM

CURRENT SYNOPTIC SITUATION: An off shore trough at mean sea level runs from South Gujarat coast to Lakshadweep area.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST ISSUED ON: 18.07.2017 VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE: KERALA

PARAMETERS	ENSEMBLE FCST				
	DAY-1	DAY-2	DAY-3	DAY-4	DAY-5
	19/07	20/07	21/07	22/07	23/07
DISTRICT : ERNAKULAM					
 ainfall (mm)		25	21	10	2
ax Temperature (deg C)	30	31	31	32	32
in Temperature (deg C)	24	24	24	24	24
otal cloud cover (octa)	8	8	7	6	5
ax Relative Humidity (%)	90	90	90	90	90
in Relative Humidity (%)	80	80	80	75	75
ind speed (kmph)	016	016	016	016	016
ind direction (deg)	270	270	270	290	290

Agro Meteorological Advisories:

Crop	Stage of the crop / Pest/Disease	Advisories		
		There is a chance of rice case worm in paddy field. To		
Paddy	Seedling stage/Rice	e/Rice control this 25 kg sawdust or rice husk ash mixed with		
(Jyothi, Kanchana)	case worm	litre kerosene can be spread after draining the field for 1		
		acre.		
Pepper		There is a chance of Quick wilt disease due to high relative		
	Quick wilt	humidity. Apply Trichoderma or Pseudomonas culture in		
	Quick wiit	soil or 1% Bordeaux mixture can be sprayed on the leaves		
		and small branches.		
		Apply tobacco decoction or 2% neem oil-garlic-soap		
Vegetables	Aphids	emulsion for control of aphids in cowpea.		
		Examine the faeces of adult animals to detect eggs of		
		internal parasite and treat the animals with suitable drugs.		
Animal Husbandry		internal parasite and treat the animals with suitable drugs.		
Animai Trusbandi y	-	Thank you for Information: Centre for Animal		
		Adaptation Environment and Climate Change Studies,		
		KVASU, Mannuthy.		