


Advisory Service bulletin 36/16, Friday dt.02-09-2016

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau.in





CURRENT SYNOPTIC SITUATION: An upper air cyclonic circulation lies over Maldives and Lakshadweep area between 5.8 and 7.6 km above sea level. A trough of low pressure on sea level chart runs from Karnataka coast to Kerala coast

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST ISSUED ON: 02.09.2016

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE: KERALA

PARAMETERS					
	DAY-1 03/09	DAY-2 04/09	DAY-3 05/09	DAY-4 06/09	DAY-5 07/09
DISTRICT : ERNAKULAM					
 ainfall (mm)	22	7	8	7	12
ax Temperature (deg C)	31	34	31	32	31
in Temperature (deg C)	24	23	24	24	24
otal cloud cover (octa)	7	7	7	7	7
ax Relative Humidity (%)	90	90	90	90	90
in Relative Humidity (%)	75	75	75	75	75
ind speed (kmph)	800	008	008	800	008
ind direction (deg)	290	290	290	290	290

Agro Meteorological Advisories

Crop	Stage of the crop / Pest/Disease	Advisories	
Paddy	Panicle stage/Rice bug	Apply neem based pesticides (3-4 ml per one liter of water). Pesticides application should be done either before 9 am or after 3 pm. Otherwise, the pesticide application will adversely affect the pollination.	
Banana	Sigatoka	Due to the changing weather pattern, there is a chance of sigatoka disease in banana. As a precaution, Spray Pseudomonas 20g per 1 liter of water. In case of severe attack spray 1 gm Bavistin by mixing it with gum in 1 litre of water on lower surface of leaf.	
Nutmeg	Leaf fall	Remove the infected leafs from field and apply Kocide 2g per one liter of water.	
Cowpea	Bug	Apply Bavistin 1g per one liter of water.	