

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture

Email: cohagmet@kau.in&kauagmet@yahoo.co.in







ERNAKULAM DISTRICT

AAS 47/2019(94), Friday 22.11,2019

CURRENT SYNOPTIC SITUATION: The trough from Maldives area to south Karnataka coast extending upto 0.9 km above mean sea level has moved away westwards. Generally Easterly wind prevails over Kerala in the lower levels

Thunderstorm Warning: DAY1: Thunderstorm accompanied with lightning is very likely to occur at isolated places over Kerala.

Kerala.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

| Weather parameters | 23.11.2019 | 24.11.2019 | 25.11.2019 | 26.11.2019 | 27.11.2019 |
|--|----------------|------------|------------|------------|------------|
| Rainfall (mm) | 2 | 2 | 1 | 2 | 3 |
| Maximum temperature(°C) | 31 | 31 | 31 | 31 | 31 |
| Minimum temperature (°C) | 25 | 25 | 25 | 25 | 25 |
| Maximum Relative Humidity (%) | 90 | 90 | 90 | 90 | 90 |
| Minimum Relative Humidity (%) | 70 | 70 | 70 | 70 | 70 |
| Wind speed (kmph) | 2 | 5 | 4 | 5 | 5 |
| Wind direction (deg) | 250 | 320 | 290 | 270 | 290 |
| Total cloud cover (octa) | 4 | 4 | 2 | 5 | 5 |
| Light rainfall is forecasted in the distri | ct by IMD & KA | Ü. | • | • | |

AGRO-METEOROLOGICAL ADVISORIES:

| Crop | Pest/ Disease | Advisories | | |
|---|--|--|--|--|
| General Advisories: As a precaution, use bio-pesticides to control the crop pests and diseases. | | | | |
| Rice (Mundakan) Tillering stage | Since cloudy weather is prevailed, there is a chance of Leaf folder attack in Mundakan Paddy. It can be controlled by using trichogramma cards (2CC per one acre). Cut the cards in to small pieces and fix in different regions of the field. If the attack is severe, spray quinalphos @ 2ml per one liter of water. | | | |
| | Bacterial Leaf blight | To control the spread of Bacterial Leaf blight in paddy, spray 6 g of Streptocycline in 30 litre of water. | | |
| Ginger | Stem borer | There is a chance of stem borer in ginger . Spary 20 g of <i>Beauveria</i> per one litre of water to control stem borer. | | |
| Banana and Vegetables | Spodoptera | There is a chance of attack of spodoptera in banana and vegetables. Destroy the affected leaves along with the spodoptera. | | |
| Animal Husbandry | | Vaccinate animals against foot and mouth disease and haemorrhagic septicaemia. (CAADECCS, KVASU, Mannuthy) | | |