

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture

Email: cohagmet@kau.in&kauagmet@yahoo.co.in



(Issued jointly by AMFU Thrissur, India Meteorological Department and Department of Agriculture)



ERNAKULAM DISTRICT

AAS 52/2020, (103) Tuesday

22.12.2020

CURRENT SYNOPTIC SITUATION: A cyclonic circulation lies over Equatorial Indian Ocean to the south of Southwest Bay of Bengal extending upto 3.1km above mean sea level. A cyclonic circulation lies over Equatorial Indian Ocean & adjoining Maldives area extending upto 3.1 km above mean sea level.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

Weather parameters	23.12.2020	24.12.2020	25.12.2020	26.12.2020	27.12.2020
Rainfall (mm)	4	1	2	4	0.5
Maximum temperature(°C)	32	32	32	32	32
Minimum temperature (°C)	23	23	23	23	23
Maximum Relative Humidity (%)	80	80	80	80	80
Minimum Relative Humidity (%)	56	56	56	56	56
Wind speed (kmph)	12	8	12	10	12
Wind direction (deg)	200	320	290	270	270
Total cloud cover (octa)	6	6	6	7	3

As per the forecast of IMD & KAU, there is a chance of light rainfall in the district.

AGRO-METEOROLOGICAL ADVISORIES:

AGKO-METEC	KULUGICAL AD	VISORIES.		
Crop	Pest/ Disease	Advisories		
General Advisories: Since light rainfall is forecasted, Precaution should be taken during drying of agricultural				
products and spraying of pesticides.				
Rice	Bacterial Leaf blight	As a prophylactic measure, spray 20 gram Pseudomonas in one litre of water. To control the spread of Bacterial Leaf blight in paddy, spray 6 g of Streptocycline in 30 litre of water.		
(Mundakan) Panicle Emergence	Leaf folder	There is a chance of leaf folder attack in mundakan Paddy. It can be controlled by using trichogramma cards (2CC per one acre). Cut the cards in to small pieces and fix in different regions of the field. If the attack is severe, spray Chlorantraniliprole (Coragen) @ 3ml per ten litre of water.		
Banana	Panama wilt	There is a chance of panama wilt in banana varieties like poovan, kadali etc. Drench the soil with one gram of carbendazim in one litre of water.		
Vegetables (cowpea)	Aphids	There is a chance of aphids in cowpea. Apply 2% neemoil emulsion or apply 20 g <i>Verticillium lecanii</i> per one litre of water in 10 days intervals. If aphid attack is severe, apply 3 ml Imidacloprid or 2 g Thiamethoxam per ten litre of water.		
Vegetables (Bhindi)	Jassid's	Due to increase in atmospheric temperature, Jassid attack may be increased. They can be controlled by applying 2% neem oil emulsion once in a week or by spraying Lecanicillium lecanii at 20 g per litre of water.		
Animal Husbandry	Assure increased ventilation in the cattle shed.			