

## Agromet Advisory Bulletin for the District, Kozhikode

(Valid from 03.01.2024 to 07.01.2024)



(Issued jointly by Kerala Agricultural University Regional Agricultural Research Station Pilicode& India Meteorological Department)

| Bulletin Number:Pilicode/Kkd-01/2024 | Date:02/01/2024 |
|--------------------------------------|-----------------|
|--------------------------------------|-----------------|

## A. Weather Summary of preceding five days

| Rainfall, mm | Max. temp., °C | Min. temp., °C | R. H., % | Wind speed, Km/h |
|--------------|----------------|----------------|----------|------------------|
| 0.0          | 34.0 - 35.8    | 24.6 – 26.0    | 56 – 78  | 00 - 06          |

## B. Weather forecast for next five days

| Parameters                | 03-01-2024 | 04-01-2024 | 05-01-2024 | 06-01-2024 | 07-01-2024 |
|---------------------------|------------|------------|------------|------------|------------|
| Rainfall, mm              | 0.2        | 2          | 2          | 18         | 0          |
| Max. Temp, °C             | 35         | 35         | 35         | 35         | 35         |
| Min. Temp,°C              | 25         | 25         | 25         | 25         | 25         |
| Max. Relative Humidity, % | 78         | 78         | 78         | 78         | 80         |
| Min. Relative Humidity, % | 56         | 56         | 56         | 56         | 60         |
| Wind speed,km/h           | 4          | 3          | 2          | 4          | 2          |
| Wind direction, degrees   | 290        | 270        | 250        | 130        | 200        |
| Total cloud cover, octa   | 8          | 8          | 8          | 8          | 7          |

## C. Agrometeorological Advisories

| Crop                           | Stages  | Problems  | Agro-meteorological advisories |  |
|--------------------------------|---|---|--------------------------------|--|
|                                | Very little rainfall **   |   |                                |  |
| General<br>conditions          | Very little rainfall. High relative humidity will be experienced.  Low night temperature and increased day temperature will be experienced. Hence there will be distinct difference between day time temperature and night temperature.  Isolated heavy rainfall very likely on 5 <sup>th</sup> January 2024. |   |                                |  |
| General<br>Recommen<br>dations | Mulch the crop basins.  Irrigate the crop on 02, 03 and 04 January when the water is available in the evening or early morning and continue the irrigation from 06 January. Adopt drip irrigation method for maximum water use efficiency.  |   |                                |  |
| Vegetables                     | Various crop stages at different localities (from sowing and Transplanting to fruiting)   | While preparing the land, incorporate lime @ 4kg/cent to the soil. Use Trichoderma enriched farm yard manure/compost. This will check the spread of wilt diseases.  Before transplanting, dip the roots of the seedlings in slurry of pseudomonas (20g pseudomonas/litre of water) for 30 minutes. This will help the seedlings to grow vigorously.  Also the seedlings can be sprayed with diluted pseudomonas culture solution (@20ml dissolved in one litre of water). |                                |  |

|                 |                              | As prophylactic measures, especially where organic cultivation is practiced, spray Neem based insecticides (@2ml/litre) at fortnight intervals |   |  |  |
|-----------------|------------------------------|--|---|--|--|
|                 |                              | Mulch the crop basins. Irrigate the crop regularly either at morning or evening time. IF possible adopt drip irrigation method                 |   |  |  |
|                 |                              | Provide strong supports to the slender stemmed (eg.: tomato) and vine type crops (eg.: bitter guard, ridge guard, snake guard etc.)            |   |  |  |
|                 |                              | At the flowering stage spray 5000ppm boron solution (Solubo @5g/litre)   |   |  |  |
| Coconut         | Coconut All stages           | Rhinoceros beetle  | Take out the beetles from the attacked palm crown using beetle hook. Swab the hole made by the beetles with Bordeaux paste to prevent entry of fungus through the cut surface.  |  |  |
|                 |                              | Dwarf varieties and young palms are more vulnerable to the attack.   | Old fishnets can be used for controlling the pest. Cut the nets into pieces of size 1 m x 0.5 m. Keep the middle portion of the net, lengthwise into the axils of 3 and 4th leaf whirls of the palm. Push the net firmly with small stones into the axils. The hanging sides of the net should be kept open. The beetles will be trapped in the nets and get destroyed. Care should be taken to move the nets to upper leaf axils accordingly while fresh leaves an emerging. |  |  |
| Black<br>pepper | All stages                   | Pollu disease  | Spray hexaconazole (@ 2ml/litre of water)   |  |  |
| Cashew          | Flushing and flowering stage | Tea mosquitobug attack and associated fungal diseases  | Spray of combination of Mancozeb (@2g/litre) + Ekalux (2ml/litre)   |  |  |
| Mango           | Different stages             | Anthracnose disease  | Spray copper oxy chloride or hexaconazole (@ 2ml/litre of water)  |  |  |

| Jack | Various stages | Fruit fall due to fungal | Spray Bordeaux mixture (1% strength).  |
|------|----------------|--------------------------|--|
| Juck | , arrous suges | infections               | Zpruj Zorovani miniaro (170 otrongun). |
|      |                |                          |  |

\*\* Warning colour codes of rainfall (for disaster management)

| Warning (Take actions) | Alert (Be prepared) | Watch (Be updated) | No warning (No actions) |
|------------------------|---------------------|--------------------|-------------------------|
|                        |                     |                    |                         |

Sd/-Nodal Officer, GKMS Project, RARS Pilicode