

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture

Email: cohagmet@kau.in&kauagmet@yahoo.co.in







PALAKKAD DISTRICT

AAS 02/2020 (04), Friday 10.01.2020

CURRENT SYNOPTIC SITUATION: Northeast monsoon rains have ceased over Tamil Nadu, Puducherry& Karaikkal, Kerala & Mahe & adjoining areas of coastal Andhra Pradesh & Yanam, Rayalaseema and south Interior Karnataka from today the 10th Jan 2020. Relatively dry air prevails over Kerala.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

Weather parameters	11.01.2020	12.01.2020	13.01.2020	14.01.2020	15.01.2020
Rainfall (mm)	0	0	0	0	0
Maximum temperature(°C)	32	32	32	32	32
Minimum temperature (°C)	25	25	25	25	25
Maximum Relative Humidity (%)	83	83	83	83	83
Minimum Relative Humidity (%)	59	59	59	59	59
Wind speed (kmph)	14	18	12	10	8
Wind direction (deg)	70	70	70	90	90
Total cloud cover (octa)	3	1	2	2	2

As per the forecast of IMD & KAU, due to no rainfall and prevailing dry weather conditions, irrigation of crops to be continued in the district.

AGRO-METEOROLOGICAL ADVISORIES:

Crop	Pest/ Disease	Advisories		
General Advisories: As a precaution, use bio-pesticides to control the crop pests and diseases.				
Rice (Mundakan) Panicle Emergence		As a prophylactic measure, apply 2CC Trichogramma japonicum card per acre to control stem borer in paddy. Cut the cards in to small pieces and fix in different parts of the field. If the attack is severe, spray 3ml chlorantraniliprole per 10 litre of water.		
	Bacterial Leaf blight	To control the spread of bacterial leaf blight in paddy, spray 6 g of streptocycline in 30 litre of water.		
Vegetables (cowpea)	Fusarium wilt	Fusarium wilt There is a chance of fusarium wilt in cowpea. Drench the soil rhizosphere with 2 g of bavistin or 2 ml of contaf per one litre of water alternatively within 15 days interval to control the disease. Severely affected plants should be removed and destroyed from the field and apply a pinch of bleaching powder in the pit.		
Chilli	White fly	There is a chance of white fly attack in chilli. Apply 2% neem oil garlic emulsion or spray 20g <i>Lecanicillium lecanii</i> per one litre of water in ten days intervals.		
Animal Husbandry		Vaccinate animals against foot and mouth disease and hemorrhagic septicemia. (CAADECCS, KVASU, Mannuthy)		