

Agromet Advisory Service bulletin 18/18(35) Tuesday dt 02.05.2018 (Issued jointly by IAAS Vellanikkara)



Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau.

PALAKKAD

CURRENT SYNOPTIC SITUATION: An upper air trough runs from North Madhya Maharashtra to south Tamil Nadu across interior Karnataka and interior Tamil Nadu.

INDIA METEOROLOGICAL DEPARTMENT NWP MODELS BASED DISTRICT LEVEL WEATHER PREDICTION ISSUED ON: 02-05-2018 VALID TILL 08:30 IST OF THE NEXT 5 DAYS

STATE : KERALA

| 5 | IAIE · KEKALA | | | | |
|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| PARAMETERS | WEATHER FCST | | | | |
| | DAY-1 03/05/2018 | DAY-2 04/05/2018 | DAY-3 05/05/2018 | DAY-4 06/05/2018 | DAY-5 07/05/2018 |
| DISTRICT : PALAKKAD | | | | | |
| Rainfall (mm) | 10 | 5 | 0 | 20 | 10 |
| Max Temperature (deg C) | 35 | 35 | 35 | 35 | 35 |
| Min Temperature (deg C) | 27 | 27 | 27 | 27 | 27 |
| Total cloud cover (octa) | 7 | 5 | 3 | 8 | 7 |
| Max Relative Humidity (% |) 85 | 85 | 85 | 85 | 85 |
| Min Relative Humidity (% |) 55 | 55 | 55 | 55 | 55 |
| Wind speed (kmph) | 010 | 010 | 010 | 010 | 010 |
| Wind direction (deg) | 270 | 270 | 270 | 270 | 270 |

Agro Meteorological Advisories:

| Сгор | Crop stage / Pest/Disease | Advisories | | |
|------------------------|---|--|--|--|
| Paddy | Milky stage/Rice bug | Apply neem based pesticides (3 ml per one liter of water). Pesticides application should be done either before 9 am or after 3 pm. Otherwise, the pesticide application will adversely affect the pollination. | | |
| Banana | Spodoptra | Due to the increase in maximum temperature there is a chance for Spodoptra in banana. Destroy the affected leafs along with the spodoptra. For severe attack spray Fame 2 ml/10 L of water. | | |
| Ginger | Planting | Apply green leaf mulching to prevent soil erosion and to increase the organic matter content in the soil. | | |
| Vegetables (Chilli) | Mite | Due to dry atmospheric condition there may be a chance of mite attack in chilli. Apply Oberon at the rate of 0.75ml per one litre of water. | | |
| Animal Husbandry | Adopt measures to eradicate external parasitic infestations in animals. (CAADECCS, KVASU, Mannuthy) | | | |