




# Agromet Advisory Service bulletin 28/17 Tuesday dt 11.07.2017

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara

E mail: kauagmet@yahoo.co.in, cohagmet@kau.



## PALAKKAD

**CURRENT SYNOPTIC SITUATION:** An off shore trough runs from Maharashtra coast to Kerala coast.

**HEAVY RAINFALL WARNING:** Heavy rainfall is most likely to occur at one or two places in Kerala till the morning of 5<sup>th</sup> July 2017.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST

ISSUED ON: 04.07.2017

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE: KERALA

PARAMETERS	ENSEMBLE FCST				
	DAY-1 05/07	DAY-2 06/07	DAY-3 07/07	DAY-4 08/07	DAY-5 09/07
DISTRICT : PALAKKAD					
Rainfall (mm)	5	14	11	7	12
Max Temperature ( deg C)	30	31	31	31	31
Min Temperature ( deg C)	24	24	24	24	24
Total cloud cover (octa)	5	6	6	5	6
Max Relative Humidity (%)	93	93	93	93	93
Min Relative Humidity (%)	85	85	85	85	85
Wind speed (kmph)	012	012	012	012	012
Wind direction (deg)	250	250	250	250	250

### Agro Meteorological Advisories:

Crop	Stage of the crop / Pest/Disease	Advisories
Paddy (Jyothi, Kanchana)	Seedling stage/Rice case worm	There is a chance of rice case worm in paddy field. To control this 25 kg sawdust or rice husk ash mixed with 1 litre kerosene can be spread after draining the field for 1 acre.
Banana	Sigatoka disease	Due to the pre monsoon showers, there is chance of Sigatoka disease in banana. As a precaution, Spray Pseudomonas 20g/L In case of severe attack spray 1 g Bavistin by mixing it with gum in 1 litre of water on lower surface of leaf.
Vegetables	Aphids	Apply tobacco decoction or 2% neem oil-garlic-soap emulsion for control of aphids in cowpea.
Animal Husbandry	-	As part of the mosquito control measures, the direct rain falling on the cowdung pit should be avoided.  <b>Thank you for Information:</b> Centre for animal adaptation environment and climate change studies, KVASU, Mannuthy.