

AAS 01/2021, (2) Friday

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture Email: cohagmet@kau.in&kauagmet@yahoo.co.in Agromet Advisory Service Bulletin



(Issued jointly by AMFU Thrissur, India Meteorological Department and Department of Agriculture)

THRISSUR DISTRICT

01.01.2021

SIGNIFICANT WEATHER FOR THE PRECEDING WEEK AT VELLANIKKARA:

The total rainfall received 0.0 mm. The maximum temperature ranges from 29.9°C to 33.9°C, minimum temperature ranges from 19.0°C to 24.6°C. Morning relative humidity ranges from 63% to 80% and afternoon relative humidity ranges from 39% to 78%. Wind speed ranges from 4.2 to 10.2 km/h. Bright sunshine hours range from 0.5 to 9.8 hours. Evaporation ranges from 2.6 to 6.3 mm.

CURRENT SYNOPTIC SITUATION: Light to moderate easterlies/Northeasterlies prevails over Kerala in the lower tropospheric levels.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

0	0			
	0	4	0	4
32	32	32	32	32
25	25	25	25	25
86	86	86	86	86
55	55	55	55	55
18	16	6	8	8
50	50	70	70	70
2	5	7	5	8
	25 86 55 18 50 2	25 25 86 86 55 55 18 16 50 50 2 5	25 25 25 86 86 86 55 55 55 18 16 6 50 50 70 2 5 7	25 25 25 25 86 86 86 86 55 55 55 55 18 16 6 8 50 50 70 70 2 5 7 5

As per the forecast of IMD & KAU, there is a chance of light rainfall in isolated places of the district. AGRO-METEOROLOGICAL ADVISORIES:

Crop Pest/ Disease

Advisories

General Advisories: Since light rainfall is forecasted, Precaution should be taken during drying of agricultural products and spraying of pesticides.

produces and s	praying of pestiene			
Rice (<i>Mundakan</i>) Milky stage	Bacterial Leaf blight	As a prophylactic measure, spray 20 gram Pseudomonas in one litre of water. To control the spread of Bacterial Leaf blight in paddy, spray 6 g of Streptocycline in 30 litre of water.		
	Sheath Blight	To control sheath blight disease in rice, spray 4 gram Trifloxystrobin +Tebuconazole in ten litre of water.		
Banana	Calcium Boron	Apply lime @ 250g/plant to rectify the calcium deficiency in the soil.		
	deficiency	Boron deficiency is seen during dry weather. Hence, spray 5 grams of sampoorna in one litre of water.		
Chilli	White fly	There is a chance of white fly attack in chilli. Apply 2% neem oil garlic emulsion or spray 20g <i>Lecanicillium lecanii</i> per one litre of water in ten days intervals.		
	Thrips	There is a chance of thrips attack in chilli. Apply 2% neem oil garlic emulsion or spray 2 g Thiamethoxam per ten litres of water.		
Animal Husbandry	Assure increased ventilation in the cattle shed.			
<u> </u>	•			