



Gramin Krishi Mousam Sewa (GKMS), Thrissur
Agromet Advisory Bulletin for Thrissur District
(Valid from 12.1.2022 to 16.1.2022)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara
 based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 02/2022, (3) Tuesday

dated 11.1.2022

A. Significant weather for the preceding week at vellanikkara

Rainfall (mm)	Maximum Temp.(°C)	Minimum Temp.(°C)	RH FN (%)	RH AN (%)	Wind speed (Km/h)	Sun shine hours	Evap. (mm)
(0.0)	(32.0-33.4)	(21.8-24.1)	(69-83)	(38-52)	(3.7-9.0)	(8.4-9.7)	(2.9-5.6)

B. Medium range weather forecast of IMD for next five days

Weather parameters	12.1.2022	13.1.2022	14.1.2022	15.1.2022	16.1.2022
Rainfall (mm)	0	0	0	0	0
Maximum temperature (°C)	33	33	32	32	32
Minimum temperature (°C)	22	23	23	23	23
Maximum Relative Humidity (%)	75	75	75	75	75
Minimum Relative Humidity (%)	50	50	50	50	50
Wind speed (kmph)	10	10	10	10	10
Wind direction (deg)	270	270	270	270	270
Total cloud cover (octa)	1	2	4	6	5




Weather summary / Alert: Due to no rainfall and prevailing dry weather conditions, irrigation of crops can be continued, when required in the district. Below normal rainfall is expected in Kerala.

RAINFALL FORECAST FOR NEXT FIVE DAYS

2022 January 12	2022 January 13	2022 January 14	2022 January 15	2022 January 16
No Rain				

C. General and Agrometeorological Advisories for Thrissur District

Since dry weather condition is prevailed, irrigation of crops can be continued, if needed. Since the wind speed may increase, give strong propping to banana and staking to vegetables.

Crop	Pest/ Disease	Crop/ Animal Advisory
Mundakan Rice in Milky stage	Bacterial Leaf blight	 To control and prevent Bacterial Leaf blight in paddy, dissolve 20 g of cow dung in one litre of water and spray the supernatant liquid by mixing with 20g of pseudomonas in one litre of water. If the attack is severe spray 6 g of Streptocycline in 30 litre of water.
Puncha Rice in Transplanting	Crop Management	 Transplant seedlings at 4 to5 leaf stage. The root of seedlings should be soaked for 30 minutes in a solution of <i>Pseudomonas</i> culture @10g per one litre of water to control sheath blight, sheath rot, leaf spot disease etc. in future.
Tomato	White fly	 Since dry weather condition is prevailed, there is a chance of white fly attack in tomato, apply 2% neem oil+ garlic emulsion under the leaf surface at 10 days intervals. If the attack is severe, apply Thiamethoxam 4 gram per ten litre of water.
Animal Husbandry	Deworm the animals after dung examination. Vaccinate animals against foot and mouth disease. Care should be taken to avoid ecto parasitic infestation. (CAADECCS, KVASU, Mannuthy).	