

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture

Email: cohagmet@kau.in&kauagmet@yahoo.co.in Agromet Advisory Service Bulletin





THRISSUR DISTRICT

AAS 04/2020, (7)Tuesday 21.01.2020

SIGNIFICANT WEATHER FOR THE PRECEDING WEEK AT VELLANIKKARA:

The total rainfall received 0.0 mm. The maximum temperature ranges from 32.7°C to 34.9°C, minimum temperature ranges from 19.9°C to 24.5°C. Morning relative humidity ranges from 67 % to 79% and afternoon relative humidity ranges from 37% to 54%. Wind speed ranges from 3.6 to 8.6 km/h. Bright sunshine hours range from 7.9 to 9.8 hours. Evaporation ranges from 3.8 to 5.5 mm.

CURRENT SYNOPTIC SITUATION: Relatively dry air prevails over Kerala.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

Weather parameters	22.01.2020	23.01.2020	24.01.2020	25.01.2020	26.01.2020
Rainfall (mm)	0	0	0	0	0
Maximum temperature(°C)	35	35	35	35	35
Minimum temperature (°C)	24	24	24	24	24
Maximum Relative Humidity (%)	76	76	76	76	76
Minimum Relative Humidity (%)	40	40	40	40	40
Wind speed (kmph)	10	14	12	4	8
Wind direction (deg)	70	70	70	90	50
Total cloud cover (octa)	2	1	2	3	3

As per the forecast of IMD & KAU, due to no rainfall and prevailing dry weather conditions, irrigation of crops to be continued in the district.

AGRO-METEOROLOGICAL ADVISORIES:

Crop	Pest/ Disease	Advisories		
General Advisories: As a precaution, use bio-pesticides to control the crop pests and diseases.				
Rice (Mundakan) Panicle Emergence	Dlast	There is a chance of Blast disease in paddy. As a precaution, spray		
	Blast	20g pseudomonas per one litre of water.		
	Bacterial	To control the spread of bacterial leaf blight in paddy, spray 6g of		
	Leaf blight	streptocycline in 30 litre of water.		
		There is a chance of Sigatoka disease in banana. As a precaution,		
Banana	Sigatoka	spray <i>Pseudomonas</i> 20g/litre. In case of severe attack, spray one ml		
	disease	hexaconazole or one ml propiconazole per one litre of water by		
		mixing it with a sticker and spray on both the surface of the leaf.		
Vegetables	Dovedom	During winter season, there is a chance of powdery mildew in		
	Powdery	vegetables. As a precaution, spray 20g Trichoderma per one litre of		
	mildew	water.		
Animal Husbandry		Vaccinate animals against foot and mouth disease and hemorrhagic		
		septicemia. (CAADECCS, KVASU, Mannuthy)		