

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture

Email: cohagmet@kau.in&kauagmet@yahoo.co.in Agromet Advisory Service Bulletin

(Issued jointly by AMFU Thrissur, India Meteorological Department and Department of Agriculture)



THRISSUR DISTRICT

AAS 09/2020, (17) Tuesday

25.02.2020

SIGNIFICANT WEATHER FOR THE PRECEDING WEEK AT VELLANIKKARA:

The total rainfall received 0.0 mm. The maximum temperature ranges from 34.3°C to 36.5°C, minimum temperature ranges from 21.4°C to 26.0°C. Morning relative humidity ranges from 65 % to 72% and afternoon relative humidity ranges from 27% to 44%. Wind speed ranges from 6.1 to 10.9 km/h. Bright sunshine hours range from 9.3 to 10.8 hours. Evaporation ranges from 6.4 to 7.9 mm.

CURRENT SYNOPTIC SITUATION: Light to moderate Easterlies \ North easterlies prevails over Kerala in the lower tropospheric levels.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

Weather parameters	26.02.2020	27.02.2020	28.02.2020	29.02.2020	01.03.2020
Rainfall (mm)	0	0	0	1	1
Maximum temperature(°C)	36	36	36	36	36
Minimum temperature (°C)	24	24	24	24	24
Maximum Relative Humidity (%)	68	68	68	68	68
Minimum Relative Humidity (%)	30	30	30	30	30
Wind speed (kmph)	8	8	8	8	8
Wind direction (deg)	250	270	270	50	230
Total cloud cover (octa)	4	1	6	7	8
Light rainfall is forecasted in isolated places of the district by IMD & KAU.					

AGRO-METEOROLOGICAL ADVISORIES:

AGKO-METEOROI	AGRO-METEUROLUGICAL ADVISORIES:				
Crop	Pest/ Disease	Advisories			
General Advisories: As a precaution, use bio-pesticides to control the crop pests and diseases.					
Rice					
(Mundakan)	-	Rice is in harvesting stage.			
Harvesting stage					
Banana Pa	Panama wilt	There is a chance of panama wilt in banana varieties like poovan, kadali etc.			
	Fallallia Will	Drench the soil with 1 g of carbendazim in one litre of water.			
		To control white fly, spray the mixture of 2% neem oil emulsion with 20 g of			
Coconut	White fly	biocontrol agent (Lecanicillium) on lower sides of leaves.			
Chilli Mite	There is a chance for the attack of mites in chilly. Apply Spiromesifen 8				
Cilili	Witte	ml/10 litre of water.			
		Deworming of animals should be done only after dung sample examination.			
Animal Husbandry		In calves first dose of medicine should be given within 15 days of age.			
		(CAADECCS, KVASU, Mannuthy)			