



Gramin Krishi Mousam Sewa (GKMS), Thrissur



Agromet Advisory Bulletin for Thrissur District

(Valid from 09.3.2022 to 13.3.2022)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 10/2022, (19) Tuesday

dated 8.3.2022

A. Significant weather for the preceding week at vellanikkara							
Rainfall	Maximum	Minimum	RH	RH	Wind speed	Sun shine	Evap. (mm)
(mm)	Temp.(°C)	Temp.(°C)	FN (%)	AN (%)	(Km/h)	hours	
(0.0)	(36.3-37.1)	(22.8-24.7)	(33-78)	(13-36)	(3.3-7.9)	(8.4-10.3)	(5.7-8.6)

Weather parameters	09.3.2022	10.3.2022	11.3.2022	12.3.2022	13.3.2022
Rainfall (mm)	0.1	0.1	0	0.5	0.1
Maximum temperature (°C)	36	36	36	36	36
Minimum temperature (°C)	25	25	25	25	25
Maximum Relative Humidity (%)	60	60	60	60	60
Minimum Relative Humidity (%)	45	45	45	45	45
Wind speed (kmph)	8	8	6	4	6
Wind direction (deg)	230	250	250	270	230
Total cloud cover (octa)	6	5	2	5	4

Weather summary / Alert: Very light rainfall is expected in isolated places of the district. Below normal rainfall is expected in Kerala.

RAINFALL FORECAST FOR NEXT FIVE DAYS					
2022 March 09	2022 March 10	2022 March 11	2022 March 12	2022 March 13	
Very light rain					

C. General and Agrometeorological Advisories for Thrissur District					
Since there is a chance of dry weather condition due to strong wind and high evaporation, crops should be irrigated, when required. Since the wind speed may increase, give strong propping to banana and staking to vegetables.					
Crop	Pest/ Disease		Crop/ Animal Advisory		
Puncha Rice in Panicle initiation stage	Blast		To control Blast disease in rice, spray 4 gram of Nativo (Trifloxystrobin + Tebuconazole) mixture in ten litres of water.		
Coconut & Arecanut	Management		Since dry weather condition is prevailed, irrigate to Coconut and Arecanut. Give 40 to 50 liter water for a coconut palm and 25 liter water for an Arecanut plant. Since air temperature is increasing, it is a desirable practice to bury fresh or dried coconut husk around the coconut palm to conserve soil moisture. It is desirable to apply lime (white colour) on the stem near the ground to protect from heat.		
Vegetables	Sucking Pest		Due to increase in atmospheric temperature, the attack of sucking pest was increased in vegetables. They can be controlled by applying 2% neem oil emulsion once in a week or by spraying Lecanicillium lecanii at 20 g per litre of water.		
Animal Husbandry	Take precautions to avoid ecto parasitic infestation .Fevor, shivering, and brown coloured urine, off feed are noticed, consult veterinary doctor immediately. (CAADECCS, KVASU, Mannuthy).				