

Husbandry



Gramin Krishi Mousam Sewa (GKMS), Thrissur



Agromet Advisory Bulletin for Thrissur District

(Valid from 12.3.2022 to 16.3.2022)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 10/2022, (20) Friday

dated 11.3.2022

A. Significant weather for the preceding week at vellanikkara								
Rainfall	Maximum	Minimum	RH	RH	Wind speed	Sun shine	Evap. (mm)	
(mm)	Temp.(°C)	Temp.(°C)	FN (%)	AN (%)	(Km/h)	hours		
(0.0)	(36.3-37.6)	(22.4-25.2)	(54-78)	(17-46)	(3.3-9.4)	(8.3-10.3)	(5.5-8.6)	

B. Medium range weather forecast of IMD for next five days						
Weather parameters	12.3.2022	13.3.2022	14.3.2022	15.3.2022	16.3.2022	
Rainfall (mm)	0	0	0	0	0	
Maximum temperature (°C)	38	36	36	36	36	
Minimum temperature (°C)	23	25	24	24	24	
Maximum Relative Humidity (%)	58	58	58	58	58	
Minimum Relative Humidity (%)	45	45	45	45	45	
Wind speed (kmph)	6	6	6	4	4	
Wind direction (deg)	250	250	250	270	270	
Total cloud cover (octa)	5	1	2	5	6	

Weather summary / Alert: Since dry weather condition is prevailed, irrigation of crops can be continued, when required in the district. Below normal rainfall is expected in Kerala.

RAINFALL FORECAST FOR NEXT FIVE DAYS								
2022 March 12	2022 March 13	2022 March 14	2022 March 15	2022 March 16				
No Rain								

C. General and Agrometeorological Advisories for Thrissur District Since dry weather condition is prevailed, irrigation of crops can be continued. Pest/ Disease Crop **Crop/ Animal Advisory** To control Blast disease in rice, spray 4 gram of Nativo Puncha Rice (Trifloxystrobin + Tebuconazole) mixture in ten litres of water. in Panicle Blast initiation stage Since dry weather condition is prevailed, irrigate to Coconut and Arecanut. Give 40 to 50 liter water for a coconut palm and 25 liter water for an Arecanut plant. Since air temperature is increasing, it Coconut & is a desirable practice to bury fresh or dried coconut husk around Management the coconut palm to conserve soil moisture. It is desirable to apply Arecanut lime (white colour) on the stem near the ground to protect from Due to increase in atmospheric temperature, the attack of sucking **Sucking Pest** pest was increased in vegetables. They can be controlled by Vegetables applying 2% neem oil emulsion once in a week or by spraying Lecanicillium lecanii at 20 g per litre of water. Take precautions to avoid ecto parasitic infestation .Fevor, shivering, and brown coloured urine, off Animal

feed are noticed, consult veterinary doctor immediately. (CAADECCS, KVASU, Mannuthy).