

Kerala Agricultural University, Vellanikkara, Thrissur Department of Agricultural Meteorology, College of Horticulture

Email: cohagmet@kau.in&kauagmet@yahoo.co.in

Agromet Advisory Service Bulletin





THRISSUR DISTRICT

AAS 12/2020, (23)Tuesday

17,03,2020

SIGNIFICANT WEATHER FOR THE PRECEDING WEEK AT VELLANIKKARA:

The total rainfall received 0.0 mm. The maximum temperature ranges from 36.0°C to 38.3 °C, minimum temperature ranges from 23.0°C to 25.4°C. Morning relative humidity ranges from 71 % to 92% and afternoon relative humidity ranges from 24% to 59%. Wind speed ranges from 2.2 to 3.9 km/h. Bright sunshine hours range from 7.2 to 10.0 hours. Evaporation ranges from 3.8 to 5.9 mm.

CURRENT SYNOPTIC SITUATION: A trough runs from north Tamil Nadu to east Vidarbha across Rayalaseema & Telangana extending upto 0.9 km above mean sea level.

WEATHER FORECAST FOR THE NEXT FIVE DAYS:

| Weather parameters | 18.03.2020 | 19.03.2020 | 20.03.2020 | 21.03.2020 | 22.03.2020 |
|-------------------------------|------------|------------|------------|------------|------------|
| Rainfall (mm) | 0.2 | 0 | 0 | 5 | 4 |
| Maximum temperature(°C) | 38 | 38 | 38 | 38 | 38 |
| Minimum temperature (°C) | 24 | 24 | 24 | 24 | 24 |
| Maximum Relative Humidity (%) | 71 | 71 | 71 | 71 | 71 |
| Minimum Relative Humidity (%) | 54 | 54 | 54 | 54 | 54 |
| Wind speed (kmph) | 10 | 14 | 16 | 10 | 8 |
| Wind direction (deg) | 160 | 70 | 270 | 250 | 230 |
| Total cloud cover (octa) | 6 | 1 | 1 | 8 | 8 |

Light rainfall is forecasted in isolated places of the district by IMD & KAU. Irrigation can be given if necessary.

AGRO-METEOROLOGICAL ADVISORIES:

| IONO-MILTEONO | GRO-METEOROLOGICAL ADVISORIES: | | | | |
|---|--------------------------------|---|--|--|--|
| Crop | Pest/ Disease | Advisories | | | |
| General Advisories: As a precaution, use bio-pesticides to control the crop pests and diseases. | | | | | |
| Banana | Mites | There is a chance of mites on the leaves of Banana. Spray 3 gram wettable sulphur per one litre of water on lower sides of the leaves. | | | |
| Coconut | White fly | There is a chance of whitefly attack on coconut leaves during dry spell and they are controlled by benificiary insects available in nature. If the whitefly attack is severe, spray 2% neem oil emulsion on the leaves. | | | |
| | Sooty mould | There is a chance of sooty mould in coconut leaves during dry spell. Apply starch solution to control them. | | | |
| Chilli | White fly | There is a chance of white fly attack in chilli. Apply 2% neem oil garlic emulsion or spray 20g <i>Lecanicillium lecanii</i> per one litre of water in ten days intervals. | | | |
| Animal Husbandry | | Give 30g sodium bicarbonate with one tea spoon yeast mixed in feed to avoid indigestion and acidity. (CAADECCS, KVASU, Mannuthy) | | | |