

Agromet Advisory Service bulletin 18/18(35), Tuesday dt .02.05.2018-(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara E mail: kauagmet@yahoo.co.in, cohagmet@kau.in

THRISSUR

Significant weather for the preceding week at Vellanikkara

Rainfall weekly total	0.7 mm
Maximum temperature	34.9 -36.9 ^o C
Minimum temperature	23.4-25.6° C
Max. RH	79-86%
Min. RH	54-63%
Wind speed	1.7-2.4 km/hr
Sun shine hour	4.3 -9.3 hr
Evaporation	3.2-5.0 mm

CURRENT SYNOPTIC SITUATION: An upper air trough runs from North Madhya Maharashtra to south Tamil Nadu across interior Karnataka and interior Tamil Nadu.

INDIA METEOROLOGICAL DEPARTMENT

NWP MODELS BASED DISTRICT LEVEL WEATHER PREDICTION

ISSUED ON: 02-05-2018

VALID TILL 08:30 IST OF THE NEXT 5 DAYS

STATE : KERALA

PARAMETERS DISTRICT: THRISSUR	WEATHER FCST					
	DAY-1 03/05/2018	DAY-2 04/05/2018	DAY-3 05/05/2018	DAY-4 06/05/2018	DAY-5 07/05/2018	
Rainfall (mm)	10	 5		15	10	
Max Temperature (deg C)	34	34	34	34	34	
Min Temperature (deg C)	25	25	25	25	25	
Total cloud cover (octa)	7	5	3	7	7	
Max Relative Humidity (%)	80	80	80	80	80	
Min Relative Humidity (%)	60	60	60	60	60	
Wind speed (kmph)	010	010	010	010	010	
Wind direction (deg)	290	290	290	290	290	

Agro Meteorological Advisories:

gro Meteorological Advisories:					
Crop	Crop stage / Pest/Disease	Advisories			
Paddy	Milky stage/Rice bug	Apply neem based pesticides (3 ml per one liter of water). Pesticides application should be done either before 9 am or after 3 pm. Otherwise, the pesticide application will adversely affect the pollination.			
Banana	Spodoptra	Due to the increase in maximum temperature there is a chance for Spodoptra in banana. Destroy the affected leafs along with the spodoptra. For severe attack spray Fame 2 ml/10 L of water.			
Ginger	Planting	Apply green leaf mulching to prevent soil erosion and to increase the organic matter content in the soil.			
Vegetables (Chilli)	Mite	Due to dry atmospheric condition there may be a chance of mite attack in chilli. Apply Oberon at the rate of 0.75ml per one litre of water.			
Animal Husbandry	Adopt measures to eradicate external parasitic infestations in animals. (CAADECCS, KVASU, Mannuthy)				