



## Agromet Advisory Bulletin for Thrissur District (Valid from 11.6.2022 to 15.6.2022)



Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 23/2022, (46) Friday

dated 10.6.2022

A. Significant weather for the preceding week at vellanikkara							
Rainfall	Maximum	Minimum	RH	RH	Wind speed	Sun shine	Evap. (mm)
( <b>mm</b> )	Temp.(°C)	Temp.(°C)	FN (%)	AN (%)	(Km/h)	hours	
(38.2)	(29.9-32.8)	(22.4-25.7)	(92-98)	(58-76)	(1.2-2.9)	(0.0-8.2)	(2.3-3.4)

Weather parameters	11.6.2022	12.6.2022	13.6.2022	14.6.2022	15.6.2022
Rainfall (mm)	10	11	13	2	1
Maximum temperature (°C)	31	31	31	30	30
Minimum temperature (°C)	23	23	23	23	23
Maximum Relative Humidity (%)	90	90	90	90	90
Minimum Relative Humidity (%)	60	60	60	60	60
Wind speed (kmph)	3	4	3	3	4
Wind direction (deg)	230	270	230	290	290
Total cloud cover (octa)	6	8	8	4	6

**Weather summary / Alert:** Light rainfall is expected in the district and moderate rainfall is expected in isolated places. Below normal rainfall is expected in Kerala.

RAINFALL FORECAST FOR NEXT FIVE DAYS					
2022 June 11	2022 June 12	2022 June 13	2022 June 14	2022 June 15	
Light rain	Light rain	Light rain	Very light rain	Very light rain	

C. General and Agrometeorological Advisories for Thrissur District

Proper drainage facilities have to be ensured. Special crop management is required for agricultural crops during monsoon season. If the soil is more acidic, add lime as per soil testing. Pesticides should not be applied during rain.

Crop	Pest/ Disease		Crop/ Animal Advisory		
Paddy (Virippu)	Land preparation to transplanting Transplant seedlings at 4 to 5 leaf stage. The root of seedlings shou soaked for 30 minutes in a solution of <i>Pseudomonas</i> culture @10g pe litre of water for one kg of seeds to control sheath blight, sheath rot, leaf disease etc. in future.				
Coconut	Bud rot	Ensure drainage facilities in water logged areas. Open the coconut base to retain excess rainwater. As a prophylactic measure to bud rot disease in coconut, 1% Bordeaux mixture can be sprayed on coconut crown.			
Nutmeg	Leaf fall As a precauationary measure to manage leaf fall during rainy season, spra 1% bordeaux mixture. Pesticides should not be applied during rainy period.				
Vegetables (Chilly,Bringal)	Management Dipping roots in Pseudomonas solution can be recommended before plantin seedlings.				
Animal HusbandryAvoid waterlogged area for construction of poultry shed. Extend overhan avoid rainwater falling inside the shed. (CAADECCS, KVASU, Mannuthy).					