




Advisory Service bulletin 49/16, Friday dt.02-12-2016

(Issued jointly by IAAS Vellanikkara)

Dept. of Agriculture Meteorology, College of Horticulture, Vellanikkara

E mail: kauagmet@yahoo.co.in, cohagmet@kau.in

THRISSUR



CURRENT SYNOPTIC SITUATION:

The deep depression weakened into depression and further weakened into well marked low and now lies over interior Tamil Nadu and neighborhood . Associated upper air cyclonic circulation extends upto mid tropospheric level.

Heavy Rainfall Warning: Heavy Rainfall Mostly Occur at one or two places in Kerala till 4th December.

NWP MODELS BASED DISTRICT LEVEL WEATHER FORECAST

ISSUED ON: 02.12.2016

VALID TILL 08:30 HRS IST OF THE NEXT 5 DAYS

STATE : KERALA

PARAMETERS	ENSEMBLE FCST				
	DAY-1 03/12	DAY-2 04/12	DAY-3 05/12	DAY-4 06/12	DAY-5 07/12
DISTRICT : THRISSUR					
Rainfall (mm)	2	2	0	3	0
Max Temperature (deg C)	29	29	29	29	29
Min Temperature (deg C)	20	20	20	20	20
Total cloud cover (octa)	4	4	3	3	3
Max Relative Humidity (%)	85	85	85	85	85
Min Relative Humidity (%)	65	65	65	65	65
Wind speed (kmph)	006	006	004	004	004
Wind direction (deg)	290	290	250	250	230

Agro Meteorological Advisories:

Crop	Stage of the crop / Pest/Disease	Advisories
Paddy (Jyothi, kanjana, Uma, Ponmani)	Panicle initiation/Sheath blight, Stem borer	Since cloudy condition prevailed, there is a chance of Sheath blight in paddy field. Spray Tilt 1 ml/1 litre of water. To control Stem borer, spray Regent 2 gm/ 1 litre of water.
Coconut	Yellowing	If yellowing is seen in coconut tender leaves, give 500 gm Micro food/palm. In addition to this give 500 gm common salt.
Banana	Pseudostem weevil	Apply 2% neem oil-garlic-soap emulsion in the starting stage. In case of severe attack apply 3ml Chlorpyrifos in 1 liter of water on the pseudostem mixing with gum.
Vegetables (Snake gourd)	Epilachna beetle	Spray Quinalphos 2 milli /1 litre of water.