



KERALA AGRICULTURAL UNIVERSITY
CARDAMOM RESEARCH STATION, PAMPADUMPARA
IDUKKI DISTRICT, KERALA, 685 553, Ph. 04868 236263
E-mail: crspam@kau.in



CRSP(2)-333/18 Vol. IV

Date:29.11.2024

RETENDER NOTICE

Sealed tenders on competitive basis are invited for the supply of under mentioned item according to the following terms and conditions that are detailed below.

Sl. No.	Item	Minimum Specifications	Quantity (Nos.)
1.	Inverter and Battery	<ul style="list-style-type: none">Inverter – 10 KVA(Min 24 Months Warranty)Batteries- Min 160 AH (60 Months replacement Warranty)	1 6

- Visit the location for more details.
- Last date for accepting tenders: 19th December 2024, 12.00 PM.

TERMS AND CONDITIONS:

1. The tender form may be downloaded from the following web link in the internet. www.kau.in/tenders. The cost of tender form is Rs.0.20% of the tender amount (rounded to nearest 100/-, minimum Rs.400/- and a maximum of Rs.1500 + GST as applicable). A DD for the amount drawn in favour of the Professor and Head, CRS, Pampadumpara, payable at SBI, Nedumkandam, should be enclosed along with the tender submitted.
2. Earnest Money Deposit (EMD) @ 1% of the cost of items offered must be remitted by a separate DD drawn as detailed above. Firms who are exempted from payment of EMD should furnish copy of the currently valid certificate from the Store Purchase Department, Govt. of Kerala. The format can be downloaded from the above website.
3. The tender should be accompanied by an agreement in Kerala Stamp Paper worth Rs.200/- (Rupees Two Hundred only) and format can be downloaded from the above website.
4. Successful tenderers will have to execute an agreement on Kerala Stamp paper for Rs.200/- and remit security deposit @ 5% of the tender amount accepted by means of DD. Form of agreement can be downloaded from the website <http://www.kau.in/tenders> under the Related Documents section.

5. The exact specification, details of made, model, name of manufacturer, warranty details etc., of the items must be clearly specified.
6. The tender should be in the sealed cover and to reach the undersigned on or before the **19th December 2024 at 12.00 pm**. Tenders received late or incomplete in any respect will be summarily rejected without notice and the decision of the undersigned on such matters will be final.
7. The tenders will be opened at **12.30 pm on the same day of last date for accepting tenders (19th December 2024)** in the presence of those who are present at that time. The lowest rate will be accepted if reasonable.
8. The sealed cover containing the tender documents should be superscribed "**Tender for Inverter with Battery**" and sent to the Professor and Head, CRS, Pampadumpara, PIN 685 553.
9. The rate quoted should be inclusive of all charges including GST, if any and also connected expenses, if any.
10. The item should be supplied within 10 days from the date of receipt of the supply order of the station.
11. The supplier should give the details of the nearest service center and response time. Complete descriptions specifications and make of the goods should be given in the quotations. Leaflets/brochures/catalogue of the equipments describing its features, application/specification etc. should be provided along with the tender.
12. Details of warranty after sale service offered on expiry of normal warranty period, available should be mentioned.
13. CMC/AMC of equipment after the warranty/Guarantee term is over the firm should mention the charges of CMC/AMC at least for the first three years from the principal.
14. The payment will be through invoice/credit bill system and by cheque only.
15. The decision of the Professor and Head, CRS, Pampadumpara, will be final and abiding.
16. The undersigned reserves the authority to accept or reject any or all the tenders without assigning any reason.
17. All rules and regulations applicable to Government tenders will be applicable to this tender also.

Copy to : KAU website/ Notice board


Professor and Head

*Professor & Head
Cardamom Research Station
Pampadumpara, Idukki Dist.*

